ORIGINAL

Before the FEDERAL COMMUNICATIONS COMMISSION Washington, D.C. 20554

RECEIVED

SEP 24 1997

DOCKET FILE COPY ORIGINAL

FEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

In the Matter of)	OFFICE OF THE SECRETARY
Federal-State Joint Board on Universal Service)	CC Docket 96-45
Forward-Looking Mechanism for High Cost Support for Non-Rural LECs.)))	CC Docket 97-160

JOINT COMMENTS OF BELLSOUTH CORPORATION, BELLSOUTH TELECOMMUNICATIONS, INC., US WEST, INC., AND SPRINT LOCAL TELEPHONE COMPANIES REGARDING THE SEPTEMER 11, 1997 WORKSHOP

SPRINT LOCAL TELEPHONE COMPANIES

Jay C. Keithley Sandra K. Williams 1850 M Street Suite 1110 Washington, D.C. 20036 (202) 828-7453

Attorneys for Sprint Local Telephone Companies

Companies

BELLSOUTH CORPORATION
BELLSOUTH TELECOMMUNICATIONS, INC.

M. Robert Sutherland Richard M. Sbaratta Rebecca M. Lough Suite 1700 1155 Peachtree Street, N.E. Atlanta, GA 30309-3610 (404) 249-3390


Their Attorneys

September 24, 1997

US WEST, INC.

Robert B. McKenna John L. Traylor Suite 700 1020 19th Street, N.W. Washington, D.C. 20036 (303) 672-2798

Of Counsel, Dan L. Poole



Before the FEDERAL COMMUNICATIONS COMMISSION Washington, D.C. 20554

in the Matter of (
Federal-State Joint Board on) Universal Service	CC Docket 96-45
Forward-Looking Mechanism for High Cost Support for	CC Docket 97-160
Non-Rural LECs.	•

JOINT COMMENTS OF BELLSOUTH CORPORATION, BELLSOUTH TELECOMMUNICATIONS, INC., US WEST, INC., AND SPRINT LOCAL TELEPHONE COMPANIES REGARDING THE SEPTEMBER 11, 1997 WORKSHOP

I. <u>INTRODUCTION</u>

The Joint Sponsors (Sprint Local Companies, US WEST and BellSouth) of the Benchmark Cost Proxy Model ("BCPM") would like to take this opportunity to thank Bill Sharkey, Mark Kennet, and Anthony Bush, other members of the FCC Staff, as well as Vaikunth Gupta and members of Panum Telecom, for their valuable input in the development of the proposed outside plant loop design methods presented during the September 11, 1997 workshop. As with the Customer Location presentation, the Joint Sponsors recognize that the proxy models can benefit from improvements and that, as is often the case, the best way to reach the next higher level of accuracy in modeling is to take advantage of a fresh perspective. Again, the Joint Sponsors assert they have done just that in recent improvements in the BCPM. We are encouraged that the FCC Staff has independently developed both a customer location approach and outside plant design similar to that used in the enhanced BCPM.

II. COMMENTS

Given that one has successfully identified where customers truly reside, the next crucial step in accurately determining the cost of Universal Service and the resulting subsidy, is correct and sound engineering. As the Joint Sponsors stated in their September 17th, 1997 ex-parte comments on Outside Plant Engineering, the improvements offered by the BCPM's unique grid approach have allowed us to improve upon implementation of a solid and well received engineering approach. The FCC Staff and Dr. Gupta recognize this same fact. Using the very similar grid concept proposed by Dr. Kennet, both the FCC staff and Dr. Gupta have used variable-sized grids to improve the engineering used in the proxy models.

In recognition of the noted deficiencies of using the Census Block Group as the modeling unit, the Joint Sponsors and the FCC have proposed a similar modeling unit known as the grid. Using this new geographic unit, the FCC and the Joint Sponsors' have also developed engineering approaches that are strikingly similar. The Joint Sponsors believe that they implemented an approach that replicates the best of the FCC approach.

The Joint Sponsors are, however, disturbed that the FCC has recommended a long copper loop approach, similar to the Hatfield approach. This approach is not an economic, forward-looking approach. HDSL and T1 are acceptable technologies when considering extensions of embedded plant. That is, when copper feeder has already been placed, it is less expensive to install these types of technologies to provide acceptable service on long copper loops. However, in new developments or under a scorched node concept, the fiber fed DLC type technology is the industry accepted standard of providing acceptable service on long loops.

The following table contains a comparison of the FCC's and the enhanced BCPM's outside plant design and engineering approaches. In addition, a comparison to

the Hatfield proposal is included. (The assessment of the Hatfield proposal is based on the best information which is publicly available regarding Hatfield's forthcoming model, i.e., verbal comments and notes from customer location and loop design presentations.) This table outlines the numerous issues where the FCC Staff's proposal and BCPM concur. Where the methods are not consistent, the enhanced BCPM's Joint Sponsors submit that they have implemented a more effective and technically sound approach. We have gone beyond conceptualization of this cost-effective approach, placing this approach in production to generate proxy model results.

Customer Location Item	FCC Proposal	BCPM Proposal	Hatfield Proposal
Geographic Entity used in Model	Consistent Grid	Flexible Consistent Grid incorporating engineering criteria that accounts for customer clusters where they actually exist.	Cluster of some sort
Method to assign Households to Geographic Entity	All households in Census Block assigned to Grid containing the CB centroid.	Households are partitioned to Grids based on road network dispersion within Census Block.	Geocoding of Households. Proprietary clustering algorithm. At most, 44% accuracy in rural areas.
Maximum Size of geographic Entity	18,000ft by 18,000ft grid.	12,000 ft by 14,000ft grid (can be adjusted outside of model).	Cluster and Super Clusters. No stated maximum size.
Minimum Size of geographic Entity	Unknewn	1,500ft by 1,700ft grid.	Cluster and Super Cluster. No stated minimum size.
Distribution Engineering	Multiple FDIs within a grid if line count limits exceeded. First FDI encountered is the Primary FDI. All	Grid is Carrier Serving Area. Quadrants within the Grid considered possible distribution areas. Existence and	of Cluster with Road Cables. Phase 2 is

1	other FDIs are fed	Size of Distribution	
	other FDIs are fed from primary.	Size of Distribution area based on actual road and household data in quadrant. Number of Feeder Distribution Interfaces is dependent on number of lines.	
Fooder Engineering	Feeders are fit based upon optimal angular feeder routes using locations of primary SAIs. Feeder can split. Uses some type of cost routine to determine need for second feeder.	Up to 4 feeders. Main feeders go straight for 10,900ft. They then may split depending upon population dispersion. Feeders will be pointed to population areas.	4 Feeders. Follow straight East, North, West, and South routes.
Feeder	Yes	Yes	Yes
Sharing/Tapering Sub-feeder Engineering	Sharing by grid.	Sub-feeder will emanate from Main feeder. Will be shared along common routes to geographic entity.	Sub-feeder to each Geographic Entity. No sharing.
Sub-Feeder Tapering/Sharing	Yes	Yes	Unknown
DLC Placement	One or more within grid. Located at Chuster in grid.	Road Centroid of Grid.	Population Cluster Center.
Engineering of Copper loops over 18000ft	DS1/T1-HDSL running off of Fiber fed DLC site. DS1/T1 may have a midspan repeater. DS1/T1 is terminated on Copper RT.	Not recommended or modeled. Instead, Fiber fed DLC sites are used as forward looking technology.	T1 fed off of Fiber fed DLC site. T1 has repeaters every 6,000ft. T1 is terminated on Copper RT.
FDI Placement	Multiple in Grid. Maximum of 4.	Multiple in Grid. Maximum of 4.	Unknown
Lot Size	Area/(Residence +Business).	Area/(Residence + Business).	Dependent on Density. In rural areas, Town

. .

			customers are on 3 agre lots.
Drep	To Center of Lot.	To Center of Lot. Max of 500 feet.	Independent of Lot. 50 feet in Urban area. Max of 150 feet in rural area.
Goographic Entity creation Process Tested in conjunction with new Loop Engineering and put into production model	Still under development.	Yes, state runs have been made.	Still under development.

III. CONCLUSION

The FCC staff members, Dr. Gupta and the Joint Sponsors of the enhanced BCPM independently concur in some fundamental tenets regarding outside plant design. The only basic area of major disagreement pertains to the engineering of long copper loops. While the BCPM sponsors contend that the fiber fed DLC approach is the proven and accepted approach, the FCC and Dr. Gupta are proposing a technology that is only economical given the assumption that copper plant already exists since these systems eliminate the need to install fiber. However, this fundamental assumption is inconsistent with a scorched node approach.

Beyond this issue, the Joint Sponsors believe they have built upon the FCC's direction and generated a model that can be executed in a time frame consistent with the Commission's objectives for Universal Service implementation. For the reasons

elaborated upon above, the Joint Sponsors recommend that the customer location and network design algorithms they propose be adopted by the Commission.

Respectfully submitted,

SPRINT	LOCAL	TELEPH	ONE
--------	-------	--------	-----

COMPANIES

Rv.

Jay C. Keithley Sandra K. Williams

1850 M Street Suite 1110

Washington, D.C. 20036

(202) 828-7453

BELLSOUTH CORPORATION

BELLSOUTH TELECOMMUNICATIONS, INC.

Bv:

M. Robert Sutherland

Richard M. Sbaratta

Rebecca M. Lough

Suite 1700

1155 Peachtree Street, N.E. Atlanta, GA 30309-3610

(404) 249-3390

US WEST, INC.

By:

Robert B. McKenna by LK

John L. Traylor

Suite 700

1020 19th Street, N.W.

Washington, D.C. 20036

(303) 672-2798

Of Counsel, Dan L. Poole

September 24, 1997

CERTIFICATE OF SERVICE

I, Melinda L. Mills, hereby certify that I have on this 24th day of September, 1997, served via U.S. First Class Mail, postage prepaid, or Hand Delivery, a copy of the foregoing "Joint Comments of BellSouth Corporation, BellSouth Telecommunications, Inc., US West, Inc., and Sprint Local Telephone Companies to Regarding the September 11, 1997 Workshop" in the Matter of Federal-State Joint Board on Universal Service, CC Docket No. 96-45, and Forward-Looking Mechanism for High Cost Support for Non-Rural LECs, CC Docket No. 97-160, filed this date with the Acting Secretary, Federal Communications Commission, to the persons on the attached service list.

Melinda L. Mills

* Indicates Hand Delivery

Reed E. Hundt*
Chairman
Federal Communications Commission
1919 M Street, NW
Room 814
Washington, DC 20554

Susan P. Ness*
Commissioner
Federal Communications Commission
1919 M Street, NW
Room 832
Washington, DC 20554

Regina Keeney*
Chief, Common Carrier Bureau
Federal Communications Commission
1919 M Street, NW, Room 500
Washington, DC 20554

Joel Ader*
Bellcore
2101 L Street, NW, 6th Floor
Washington, DC 20037

Kathleen Franco* FCC 1919 M Street, NW Room 844 Washington, DC 20554 James H. Quello*
Commissioner
Federal Communications Commission
1919 M Street, NW
Room 802
Washington, DC 20554

Rachelle B. Chong*
Commissioner
Federal Communications Commission
1919 M Street, NW
Room 844
Washington, DC 20554

Wilbur Thomas*
ITS
1919 M Street, NW, Room 246
Washington, DC 20554

Emily Hoffnar*
FCC
2100 M Street, NW
Room 8617
Washington, DC 20554

Tom Boasberg*
FCC
1919 M Street, NW
Room 814
Washington, DC 20554

James Casserly*
FCC
1919 M Street, NW
Room 832
Washington, DC 20554

Paul Gallant*
FCC
1919 M Street, NW
Room 802
Washington, DC 20554

Timothy Peterson*
FCC
2100 M Street, NW
Room 8613
Washington, DC 20554

Chuck Keller*
FCC
1919 M Street, NW
Room 500
Washington, DC 20554

Sharon Nelson Washington Utilities & Transportation Comm. 1300 S. Evergreen Park Drive, SW POB 47250 Olympia, WA 98504-7250 Laska Schoenfelder South Dakota PUC 500 East Capital Avenue Pierre, SD 57501-5070

Martha S. Hogerty
Public Counsel for the State of Missouri
Harry S. Truman Bldg., Room 250
POB 7800
Jefferson City, MO 65102

Thor Nelson Colorado Office of Consumer Counsel Suite 610 1580 Logan Street Denver, CO 80203

Bridget Duff Florida PSC 2540 Shumard Oak Blvd. Tallahassee, FL 32399-0866

Charles Bolle
South Dakato PUC
500 East Capital Avenue
Pierre, SD 57501-5070

Lorraine Kenyon
Alaska Public Utilities Commission
10156West Sixth Avenue, Suite 400
Anchorage, AK 99501

Debra M. Kriete
Pennsylvania Public Utilities Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Tiane Sommer Georgia PSC 244 Washington Street, SW

Atlanta, GA 30334-5701

The Honorable Julia Johnson Commissioner Florida Public Service Commission Capital Circle Office Center 2540 Shumard Oak Blvd. Tallahassee, FL 32399-0850

Sandra Makeeff
Iowa Utilities Board
Lucas State Office Bldg.
Des Moines, IA 50319

Philip F. McClelland
Pennsylvania Office of Consumer Affairs
1425 Strawberry Square
Harrisburg, PA 17120

Deonne Bruning

Nebraska PSC 300 The Atrium 1200 N Street POB 94927 Lincoln, NE 68509-4927 James Bradford Ramsay
National Assoc. of Regulatory Utility Comm.
1201 Constitution Avenue, NW
Washington, DC 20423

Brian Roberts
California Public Utilities Commission
505 Van Ness Avenues
San Francisco, CA 94102-3298

Rowland Curry
Texas Public Utility Commission
1701 North Congress Avenue
PO Box 13326
Austin, TX 78701

Barry Payne
Indiana Office of the Consumer Counsel
100 North Senate Avenue, Room N501
Indianapolis, IN 46204-2208

Kevin Schwenzfeier NY State Dept. of Public Service 3 Empire State Plaza Albany, NY 12223

David N. Baker Georgia PSC 244 Washington Street, SW Atlanta, GA 30334-5701 Joseph Di Bella Bell Atlantic Telephone Companies 1320 North Court House Road 8th Floor Arlington, VA 22201

Carl Henderson
American Library Association Washington
1301 Pennsylvania Avenue, NW
Suite 403
Washington, DC 20004-1701

David Porter
WorldCom, Inc.
1120 Connecticut Avenue, NW
Suite 400
Washington, DC 20036

Michael S. Pabian Ameritech Room 4H82 2000 West Ameritech Center Drive Hoffman Estates, IL 60196-1025 James S. Blaszak
Levine, Blaszak, Block & Boothby, LLP
1300 Connecticut Avenue, NW
Suite 500
Washington, DC 20036
Counsel for Ad Hoc Telecommunications
Users Committee

David L. Lawson
Scott M. Bohannon
AT&T Corporation
1722 I Street, NW
Washington, DC 20006

Mark C. Rosenblum
Peter H. Jacoby
AT&T Corporation
295 North Maple Avenue
Room 3245H1
Basking Ridge, NJ 07920

Mary J. Sisak
MCI Telecommunications Corp.
1801 Pennsylvania Avenue, NW
Washington, DC 20006

Robert A. Mazer
Vinson & Elkins, LLP
1455 Pennsylvania Avenue, NW
Washington, DC 20004-1008
Counsel for Aliant Communications Co.

Margot Smiley Humphrey
Koteen & Naftalin, LLP
1150 Connecticut Avenue, NW
Suite 1000
Washington, DC 20036
Counsel for TDS Telecommunications Corp.

Joe D. Edge
Tina Pidgeon
Drinker Biddle & Reath, LLP
901 15th Street, NW
Suite 900
Washington, DC 20005
Counsel for Puerto Rico Telephone Co.

Gail Polivy GTE Service Corporation 1850 M Street, NW Suite 1200 Washington, DC 20036 Richard McKenna GTE Telephone Operations 600 Hidden Ridge Irving, TX 75038

R. Michael Senkowski Gregory J. Vogt Suzanne Yelen Wiley Rein & Fielding 1776 K Street, NW Washington, DC 20006